ROLLENCE
GRANITO



CELESTIA

EMOTIONS
ON THE
SURFACE

ROLLENCE
GRANITO

Crafted to Change, Designed to Inspire.

DIGITAL MATT + CARVING SURFACE

Carving is a refined matt surface where design meets dimension. The intricate carving enhances every vein, responding to light, shadow and perspective - creating a surface that evolves every glance


LIGHT REACTIVE
Veins brighten and soften as light moves across the surface.

PERSPECTIVE SHIFTS
From different angles, new depths and details are revealed.


NATURAL DEPTH
Carved micro-reliefs create subtle shadows that add realistic dimension.

REFINED MATT FINISH
The surface remains smooth and matt, offering a soft touch with lasting beauty.

LIGHT ✦ DEPTH ✦ PERSPECTIVE



SOFT LIGHT




SIDE ANGLE



DIRECT LIGHT



EYE FOCUS



✦

ONE SURFACE.
ENDLESS EXPRESSIONS.

ENDURING TILES,

CRAFTED IN INDIA

Rollence Granito is a leading manufacturer and exporter of high-quality vitrified ceramic tiles, trusted both locally and globally.

Specializing in a wide range of products for residential, commercial and government projects, we are committed to delivering excellence.

Our team blends innovation with expertise to offer customisable ceramic and porcelain tiles, perfect for any space.

With a strong focus on quality and design, Rollence ensures every tile reflects our dedication to craftsmanship, making us the top-choice for your dream projects.



BRAND PROMISE

- QUALITY SERVICES
- ETHICAL PRACTICE
- VALUE AND MONEY
- CUSTOMER DELIGHT

ROLLENCE GRANITO

- R revolution
- O organization
- L leadership
- L luxury
- E ethics
- N new technology
- C champion
- E expertise

STATE-OF-THE-ART INFRASTRUCTURE

Advanced facilities for precision and quality.

PREMIUM QUALITY STANDARDS

International quality benchmarks at every step.

INNOVATION & DESIGN

Continuous innovation to create trendsetting and timeless surfaces.

GLOBAL PRESENCE

Exporting to 40+ countries with growing global footprint

SUSTAINABLE APPROACH

Committed to eco-friendly practices and a better tomorrow

ROLLENCE
GRANITO

EMOTIONS
ON THE SURFACE

TWO THICKNESSES.
BUILT FOR EVERY SPACE.

9 mm
THICKNESS

15 mm
THICKNESS

Engineered with Precision.
Designed to Perform.

GVT | PGVT

Index


BELLISIMO GREY


BIANCO LUNA


CLASSICO BIANCO


CLOVER GREY


CLOVER LIGHT GREY


FRESCO BIANCO


FRESCO GREY


LEWIS GREY


LEWIS PINE


LIMAR ARTISTIC


LIMAR BEIGE


LIMAR WHITE


MARFIL MINK



MONARC BEIGE


MONARC LIGHT GREY


MORION BROWN


MORION GREY


TIVOLI CREMA


TROZEN DOVE

TOUCH
TO EXPLORE
TILE

ROLLENCE GRANITO

BELLISIMO GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor


9mm Thickness

TAP TO DETAILS

Design Name: Bellisimo Grey



BIANCO LUNA





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall | Use for Floor | 9mm Thickness

TAP TO DETAILS

Design Name: Bianco Luna


ROLLENCE GRANITO



ROLLENCE GRANITO

CLASSICO BIANCO





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Classico Bianco

ROLLENCE GRANITO



ROLLENCE GRANITO

CLOVER GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness


TAP TO DETAILS

Design Name: Clover Grey

ROLLENCE GRANITO



CLOVER LIGHT GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Clover Light Grey

ROLLENCE GRANITO



ROLLENCE GRANITO

FRESCO BIANCO





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Fresco Bianco

ROLLENCE GRANITO



ROLLENCE GRANITO

FRESCO GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Available In Thickness:

15MM

Use for Wall | Use for Floor | 9mm Thickness

TAP TO DETAILS

Design Name: Fresco Grey

ROLLENCE GRANITO

ROLLENCE GRANITO

LEWIS GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Lewis Grey



ROLLENCE GRANITO

LEWIS PINE





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Lewis Pine



ROLLENCE GRANITO

LIMAR ARTISTIC





Size:
1200x1800mm

Finish:
DIGIMATT CARVING

THICKNESS:
9MM

RANDOM:
3

Available In Thickness:
15MM

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Limar Artistic



ROLLENCE GRANITO

LIMAR BEIGE





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Available In Thickness:

15MM

Use for Wall | Use for Floor | 9mm Thickness

TAP TO DETAILS

Design Name: Limar Beige

ROLLENCE GRANITO



ROLLENCE GRANITO

LIMAR WHITE





Size:
1200x1800mm

Finish:
DIGIMATT CARVING

THICKNESS:
9MM

RANDOM:
3

Available In Thickness:
15MM

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Limar White

ROLLENCE GRANITO



ROLLENCE GRANITO

MARFIL MINK





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Available In Thickness:

15MM

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Marfil Mink



ROLLENCE GRANITO

MONARC BEIGE





Size:
1200x1800mm

Finish:
DIGIMATT CARVING

THICKNESS:
9MM

RANDOM:
3

Available In Thickness:
15MM

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Monarc Beige



MONARC LIGHT GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Monarc Light Grey



ROLLENCE GRANITO

MORION BROWN





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Morion Brown



ROLLENCE GRANITO

MORION GREY





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness


TAP TO DETAILS

Design Name: Morion Grey



ROLLENCE GRANITO

TIVOLI CREMA





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor


9mm Thickness

TAP TO DETAILS

Design Name: Tivoli Crema

ROLLENCE GRANITO

TROZEN DOVE





Size:	Finish:	THICKNESS:	RANDOM:
1200x1800mm	DIGIMATT CARVING	9MM	3

Use for Wall

Use for Floor

9mm Thickness

TAP TO DETAILS

Design Name: Trozen Dove



ROLLENCE GRANITO

Surfaces Crafted.
Spaces Elevated.

FEATURES

- Premium Materials
- Easy To Clean
- Low Absorption
- Frost Resistant
- Scratch Resistant
- Long lasting
- Versatile Application
- Resistant To Liquids & Acids
- Resistant To Chemicals
- Resistant To Abrasion
- Resistant To Thermal Shock
- UV Resistant
- Hygienic Surface
- No Alternation In Color

APPLICATION AREAS

- Residences
- Hotels
- Shops
- Restaurants
- Airports
- Malls
- Railway Stations
- Interiors
- Kitchens
- Offices
- Public Places



ADVANCED TECHNOLOGY | EXCEPTIONAL DESIGN | SUPERIOR PERFORMANCE | TIMELESS BEAUTY | SUSTAINABLE CHOICE | CRAFTED WITH PRECISION

TECHNICAL SPECIFICATIONS

CHARACTERISTICS & SURFACE	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176(GROUP Bla)	OUR VALUE
DIMENTION & SURFACE QUALITY			
Deviation in Length	ISO-10545-2	±0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±4%
Straightness of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THREMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.05%
Breaking Strength	ISO-10545-11	>1300 N	>1800 N
Flexurat Strength (Modulus of Rupture)	ISO-10545-4	>35 N/mm2	>40 N/mm2
Mohs Hardness	EN-101	Depends on the product	Min.4 (Polished/Satin/Brillia/Celestia/Marble)
			Min.5 (Matt)
Resistance to Surface Abrasion	ISO-10545-7	Depends on the product	PEI II (Brillia/Celestia)
			PEI III (Polished/Satin/Marble)
			PEI III / iv / (Matt/Carving)
			PEI V (Regalia R10)
Skid Resistance (Slip Resistance)	ISO-10545-17	Depends on the product	<R9 (Polished/Satin/Marble)
			R9 (Matt/Brillia/Celestia)
			R10 (Regalia)
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
CHEMICAL PROPERTIES			
Resistance to high concentrations of acids and alkalis	ISO-10545-13	No Damage	GLA
Resistance to high concentrations of acids and alkalis	ISO-10545-13	No Damage	GHA
Resistance to household chemicals	ISO-10545-16	No Damage	Minimum GB
Resistance to Starining	ISO-10545-14	No Damage	Class 3

ROLLENCE

GRANITO

KAG GRANITO LLP

Sr. No. 197, Opp. Amardham Ashram, Matel Road, Matel - 363 621.

Tal Wankaner, Dist. Morbi Guj INDIA.

Cell: +919726055557 / +917984752005 | **Email:** info@rollence.in

Web : rollence.in